

PRODUCT NUMBER: 1010924

Leightning L3s Headband Earmuff



[+ View More](#)

Overview

Reference Number

1010924

Product Type

Hearing Protection

Range

Earmuffs

Line

Noise Blocking Earmuffs

Brand

Howard Leight by Honeywell

Brand formerly known as

BILSOM

Industry

- Administration
- Agriculture
- Army - Defence
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Logistics
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Mining and Quarrying

Leightning L3s Headband Earmuff - 1010924

- Offshore
- Paper Industries
- Petro-chemical
- Printing Industries
- Services
- Telecoms
- Textile Industries
- Transportation
- Utilities
- Water treatment
- Welding
- Wood Industries
- Laboratory
- Ship Building
- Industry

Product Use

Noise Blocking Earmuff

Features & Benefits

Feature

AIR FLOW CONTROL TECHNOLOGY Bilsom's patented Air Flow Control™ technology delivers optimal attenuation across all frequencies, without increasing earcup size or weight. A patented baseplate chamber and high-tech non-woven layer manage the flow of air inside the earmuff to control how sound reaches the ear. The result is better, more consistent overall attenuation for virtually all industrial noise environments. **STEEL WIRE CONSTRUCTION** Robust steel headband withstands demanding use, especially in tough environments. **SNAP-IN EAR CUSHIONS** Snap-in ear cushions make replacement quick and easy. **PADDED FOAM HEADBAND** delivers long-wearing comfort with minimal pressure on the head.

Benefit

When you're in a tough industrial environment and need to block noise, Bilsom's Leightning series' steel wire construction provides high performance and robust durability. Leightning stands up to daily use and abuse without compromising comfort. Bilsom has optimized the Leightning series to deliver the highest level of comfort available, featuring an exclusive padded foam headband and super soft ear cushions that eliminate that "squeezing pressure" on the head.

Technical Description

SNR (dB)

34

H (dB)

33

M (dB)

32

L (dB)

27

Attenuation Data

	63	125	250	500	1000	2000	4000	8000
Frequency (Hz) Frequenz (Hz) Fréquence (Hz)								
Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)	23.6	24.6	27.8	32.6	37.4	35.2	38.8	35.8
Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)	6.4	3.6	2.0	2.0	3.3	3.2	3.1	3.3

Assumed Protection (dB) Angenommener (dB) Protection supposée (dB)	17.2	21.0	25.8	30.6	34.1	32.0	35.7	32.5
--	------	------	------	------	------	------	------	------

Earmuff Construction

Metal

Other Material

Steel wire, PUR-E, PVC, Textile, PC/ABT, ABS, PP

Dielectric

No

Color

Black

Batteries Needed

None

Weight (grs)

302

Design Patents

Air Flow Control™

Headband Style

Over-Head

Sound Amplification

No

AM/FM Radio

No

Automatic Shut-Off Function

No


Audio Input Jack

No

Hi-Visibility

No

Certifications

 **E.C. Declaration of Conformity**

EC Category PPE

2


Quality Assurance

ISO 9001 / 2000

EC Certificate Number

EC1294

EC Attestation

 EC Attestation

EC Attestation Number

041108

Photos & Images

We're sorry, there are no images available at this time.

Maintenance

Life Cycle

Cushions should be replaced periodically to retain maximum attenuation. Use the following as a guideline for replacement of ear cushions and insert foam. General use and wear - Ear cushions and foam inserts should be replaced at least every 6 months. Heavy use or wear in humid/extreme climates - Ear cushions and foam inserts should be replaced at least every 3 months. Cracking or leakage is visible - replace ear cushions and foam inserts immediately.

Storage Information

When not in use, the earmuffs should be stored in a clean dry container or locker. Do not use solvents or petroleum-based products. Do not immerse the earmuffs in water.

Care Instructions

Earmuffs are an important safety product and should be inspected regularly. Its use, care and maintenance are critical to its effective performance. Earmuffs and in particular ear cushions may deteriorate with use and should be examined at frequent intervals for cracking and leakage. If the ear cushions become hard, damaged or deteriorated, they should be replaced promptly using recommended Hygiene Kits. Earmuffs should be maintained by regular cleaning. Use a mild disinfectant solution. A gentle wipe is all that is required.

Parts & Accessories

Accessories

Hygiene Kit - Packed in a plastic bag, including two ear cushions and two foam pads. Ref. # 1012000 for L3, L3H, L3N
Beltclip - For carrying purpose. Old Ref. # 1000252 New Ref. # 1016730
Cool II Pads - Sweat absorbing pads. Ref. # 1000365 5-pair, Ref. # 1000364 100-pair
Optisorb - cotton sleeve slides over earcup. Ref. # 3302101
Polar Hood - Ref. # 1016870 Lg/XLg; Ref. # 1016871 Sm/Med



SUCCESS UDYOG PVT. LTD.

Registered Office: Office No. 315/316, 3rd floor, City Space, Sr.No.198/1A, Pune Nagar Road, Pune 411014, Maharashtra

Godown : Jadhav warehousing, Gat no. 1338/1, Priyankanagari, Wagholi, Pune – 411207

Off. Tel: 020-40188288/216/244/221-228, **Cell-**9371919702/9370223873 **Fax:** 020-40188227/299

Email: sales@successudyog.com **Web:** www.successudyog.com